

**B600**

**Grab bar**

Grab bar Ø32mm straight. Rosace cover-fixation simple and discreet. Suitable for intensive use in community or hospital.



References	Length	Finish
B600-S	300mm	Brushed stainless steel
B600-B	300mm	Polished stainless steel
B600-W	300mm	White steel
B600-N	300mm	Matte-black

**Characteristics**

Finishes	Brushed stainless steel (S) / Polished stainless steel (B) / White steel (W) / Matte-black (N)
Dimensions	Ø32 x 300mm
Fixing points	2
Maximum charge	150kg
Fixations supplied	No (to the installer to choose according to the material of the support)
Warranty	25 years

### Optional accessories

---

No optional accessories.

### Installation info

---

#### Installation

Grab bars must be secured to a suitable wall substrate for proper use. Duten recommends that installers contact a fixing specialist to ensure the correct fixings are used for the material.

#### Maintenance

---

For optimum care of the grab bars, use a soft cotton cloth and dampen it if necessary. Never use products containing hydrochloric acid, formic acid, acetic acid or bleaching products containing chlorine. Never use abrasive products or tools (scouring liquid, scouring sponge, abrasive dishwashing sponge, stainless steel ball, etc.).

#### Certifications

---

CE

#### Related products

---

Toilet paper dispenser jumbo 400M	H140
Toilet brush holder and brush set	A850

#### Related documents

---

Installation manuel	<a href="mailto:contact@dufen.fr">contact@dufen.fr</a>
Certifications	<a href="mailto:contact@dufen.fr">contact@dufen.fr</a>

Technical diagram

